



M12 FUEL™


DRIVEN TO OUTPERFORM.™



**REDLINK PLUS
INTELLIGENCE**



**POWERSTATE
BRUSHLESS MOTOR**



**REDLITHIUM-ION
BATTERY PACK**

M12 FDGA
**M12 FUEL
RIGHT
ANGLE DIE
GRINDER**

**MORE
POWER**
THAN PNEUMATIC

**4-MODE
SPEED
CONTROL**


**GREAT
MOBILITY
& ACCESS**



DRIVEN TO OUTPERFORM.

M12 FUEL is engineered for the most demanding tradesmen in the world. M12 FUEL delivers unrivaled performance in a compact structure and features three MILWAUKEE exclusive innovations - the POWERSTATE Brushless Motor, REDLITHIUM-ION Battery Pack and REDLINK PLUS Intelligence Hardware and Software - that deliver unmatched power, run-time and durability.


M12 FUEL™



M12 FUEL RIGHT ANGLE DIE GRINDER

MORE POWER THAN PNEUMATIC

GENERATES 0.3 HP MOTOR OUTPUT



- More powerful than pneumatic 0.25 HP die grinders

4-MODE SPEED CONTROL

OPTIMIZED FOR MOST COMMON ACCESSORIES

RPM MODES & EXAMPLE ATTACHMENTS

1	10,000 RPM Control for Delicate Applications	
2	15,000 RPM Wire Wheel Brush	
3	20,000 RPM Bristle Disc	
4	24,500 RPM Non-Woven Disc Cut Off Disc Abrasive Disc	

- Dial in the right max RPM for safer operation
- Variable speed trigger

GREAT MOBILITY & ACCESS

SAVES TIME. GREAT PORTABILITY.

NO HOSES OR COMPRESSORS



COMPACT TOOL SIZE



- No air hoses, compressors, or daily maintenance
- Increased cost savings over pneumatic power
- Compact tool size allows access in tight spaces

ACCESSORY COMPATIBILITY

1"	✓	✓	✓	✓	✓	✓	N/A	✓
2"	N/A	✓	✓	✗	✓	✓	✓	✓
3"	N/A	✓	✗	✗	✗	✓	✗	✗

*For best performance, let the tool do the work and apply appropriate pressure as necessary
 **For best performance, use high quality and balanced accessories (such as Milwaukee or Pferd) while applying appropriate pressure as necessary

SPECIFICATIONS

DESCRIPTION	SPECIFICATIONS
Collet Size	6.0 mm & 8.0 mm
Length	119 mm

DESCRIPTION	SPECIFICATIONS
4-Mode RPM Control	10,000 / 15,000 / 20,000 / 24,500 rpm
Weight (w/3.0Ah battery)	0.8 kg



MILWAUKEE TOOL

Milwaukee Electric Tool Corporation
BROOKFIELD, WI 53005
USA

Tel: +1 (262) 781-3600 • Fax: +1 (262) 790-6333

Milwaukee Asia Office
29/F, Tower 2, Kowloon Commerce Centre,
51 Kwai Cheong Road, Kwai Chung, Hong Kong
Tel: +852-2492-2181 • Fax: +852-2490-4778

Distributed by:

16/12/2019

All data incl. service and warranty conditions as well as product range are subject to change without notice. Pictures not binding. No liability for printing errors or mistakes. © 2019 Milwaukee Electric Tool Corporation. All trademarks are owned by Techtronic Cordless GP unless otherwise stated.

www.milwaukeetool.asia