



# M18 FUEL™

DRIVEN TO OUTPERFORM.™



**POWERSTATE™**  
BRUSHLESS MOTOR



**REDLINK PLUS™**  
INTELLIGENCE



**REDLITHIUM™-ION**  
HIGH OUTPUT

**REDLITHIUM™-ION**  
BATTERY PACK

M18 FAC  
**M18 FUEL**  
**AIR**  
**COMPRESSOR**

**QUIETER**  
THAN  
CORDED

**EASIER**  
TRANSPORT

UP TO  
**1,600**  
NAILS PER  
CHARGE



## DRIVEN TO OUTPERFORM.

M18 FUEL is engineered for the most demanding tradesmen in the world. Delivering unrivaled performance in a compact structure, all M18 FUEL products feature three MILWAUKEE exclusive innovations - the POWERSTATE Brushless Motor, REDLITHIUM-ION Battery Pack and REDLINK PLUS Intelligence Hardware and Software - that deliver unmatched power, run-time and durability.

## M18 FUEL™

### 7.6L TANK

Capacity to run common brad & finish nailers and staplers

### 48L/MIN AT 2.8BAR

Performance to run common brad & finish nailers and staplers

### QUIET PUMP – ONLY 68DBA

Quietest cordless compressor for reduced noise on the jobsite

### SINGLE TURN REGULATOR

Quickly adjust tool pressure to designed level

### ALL STEEL ROLE CAGE

Added durability to protect critical components during jobsite use and transportation

### QUICK CONNECT COUPLER

Quickly attach and change hoses for increased productivity

### SUITCASE STYLE HANDLE

Lower center of gravity and inline handle location for easier carrying on and off the jobsite


### COMPATIBLE WITH ALL M18 REDLITHIUM-ION PACKS

Compatible with all M18 REDLITHIUM-ION batteries for better work flow and less downtime



# M18 FUEL AIR COMPRESSOR

## QUIETER THAN CORDED



- Work and communicate with less noise
- Runs at only 68dBA

## EASIER TRANSPORT



- Compact design for easy storage and stacking
- Suitcase handle for easy carrying

## UP TO 1,600 NAILS PER CHARGE

**LESS DOWN TIME**

M18 REDLITHIUM-ION HIGH OUTPUT 12.0 Ah Battery  
**UP TO 1,600 NAILS\***

M18 REDLITHIUM-ION HIGH OUTPUT 8.0 Ah Battery  
**UP TO 1,000 NAILS\***

M18 REDLITHIUM-ION 5.0 Ah Battery  
**UP TO 600 NAILS\***

\*Nails per Battery

- Fully Compatible with all M18 Packs




## SPECIFICATIONS

DESCRIPTION	SPECIFICATIONS
Power Input	22 A
Rated Input	400 W
Maximum Air Pressure	135 psi / 9.31 bar
Air Tank Capacity	7.6 L

DESCRIPTION	SPECIFICATIONS
Free Air Delivery	48 L/min @ 2.8bar
Quick Connect Type	¼" Nitto
Sound Level	68 dB(A)
Weight (w/5.0Ah battery)	15.5 kg





Nothing but **HEAVY DUTY**

## MILWAUKEE TOOL

Milwaukee Electric Tool Corporation  
BROOKFIELD, WI 53005  
USA  
Tel: +1 (262) 781-3600 • Fax: +1 (262) 790-6333

Milwaukee Asia Office  
29/F, Tower 2, Kowloon Commerce Centre,  
51 Kwai Cheong Road, Kwai Chung, Hong Kong  
Tel: +852-2492-2181 • Fax: +852-2490-4778

Distributed by:

21/10/2020

All data incl. service and warranty conditions as well as product range are subject to change without notice. Pictures not binding. No liability for printing errors or mistakes. © 2020 Milwaukee Electric Tool Corporation. All trademarks are owned by Techtronic Cordless GP unless otherwise stated.

[www.milwaukeetool.asia](http://www.milwaukeetool.asia)